

Category	Subcategory description	Subcategory	Model	Description	Price	Pcs. per box	Page
ELECTRICAL ACCESSORIES	PSCC 6W 500mA Constant current - Power Led/Led	PSCC 6W 500mA	PSCC 6W 500MA 1P	6w - 500mA - constant current for Power Led and Led modules	30	1	-
ELECTRICAL ACCESSORIES	PSCC 8W 350mA Constant current - Power Led/Led	PSCC 8W 350mA	PSCC 8W 350MA 1P	8w - 350mA - constant current for Power Led and Led modules	30	1	-
ELECTRICAL ACCESSORIES	PSCC 10W 250mA Constant current - Power Led/Led	PSCC 10W 250mA	PSCC 10W 250MA 1P	10w - 250mA - constant current for Power Led and Led modules	37	1	182
ELECTRICAL ACCESSORIES	PSCC 12W 700mA Constant current - Power Led/Led	PSCC 12W 700mA	PSCC 12W 700MA 1P	12w - 700mA - constant current for Power Led and Led modules	38	1	182
ELECTRICAL ACCESSORIES	PSCC 15W 350mA Constant current - Power Led/Led	PSCC 15W 350mA	PSCC 15W 350MA 1P	15w - 350mA - constant current for Power Led and Led modules	38	1	182
ELECTRICAL ACCESSORIES	PSCC 17W 700mA Constant current - Power Led/Led	PSCC 17W 700mA	PSCC 17W 700MA 1P	17w - 700mA - constant current for Power Led and Led modules	50	1	182
ELECTRICAL ACCESSORIES	PSCC 20W 500mA Constant current - Power Led/Led	PSCC 20W 500mA	PSCC 20W 500MA 1P	20w - 500mA - constant current for Power Led and Led modules	55	1	182
ELECTRICAL ACCESSORIES	PSCC MP 32W Constant current - Power Led/Led	PSCC MP 32W	PSCC 32W 1P	32w - multivoltage - multicurrent	62	1	183
ELECTRICAL ACCESSORIES	PSCC MP 50W Constant current - Power Led/Led	PSCC MP 50W UL	PSCC 50W 1P	50w - multivoltage - multicurrent	97	1	184
ELECTRICAL ACCESSORIES	PSCC DIM MICROJOLLY Constant current - Power Led/Led	PSCC DIM MICROJOLLY	PSCC DIM 6W 350MA	6w - 350mA - constant current for Power Led and Led modules - dimmable	50	1	-
ELECTRICAL ACCESSORIES	PSCC DIM JOLLY Constant current - Power Led/Led	PSCC DIM JOLLY	PSCC JOLLY 1P	Multivoltage - multicurrent - dimmable	85	1	-
ELECTRICAL ACCESSORIES	PSCC DIM MAXI JOLLY DALI Constant current - Power Led/Led	PSCC DIM MAXI JOLLY DALI UL	PSCC MAXI JOLLY 1P	Multivoltage - multicurrent - dimmable	177	1	185
ELECTRICAL ACCESSORIES	PSCV 10W - 24V Constant voltage - Led	PSCV 10W - 24V	PSCV 10W 24V 1P	10w - 24v - constant current for Led modules	32	1	186
ELECTRICAL ACCESSORIES	PSCV 13W - 24V Constant voltage - Led	PSCV 13W - 24V	PSCV 13W 24V 1P	13w - 24v - constant current for Led modules	47	1	186
ELECTRICAL ACCESSORIES	PSCV 25W - 24V Constant voltage - Led	PSCV 25W - 24V	PSCV 25W 24V 1P	25w - 24v - constant current for Led modules	50	1	186
ELECTRICAL ACCESSORIES	PSCV 50W - 24V Constant voltage - Led	PSCV 50W - 24V	PSCV 50W 24V 1P	50w - 24v - constant current for Led modules	130	1	187
ELECTRICAL ACCESSORIES	PSCV 70W - 24V Constant voltage - Led	PSCV 70W - 24V	PSCV 70W 24V 1P	70w - 24v - constant current for Led modules	155	1	187
ELECTRICAL ACCESSORIES	PSCV 150W - 24V Constant voltage - Led	PSCV 150W - 24V	PSCV 150W 24V 1P	150w - 24v - constant current for Led modules	230	1	187
ELECTRICAL ACCESSORIES	LED DIMMING MODULE - Dimmer for LED - Operating voltage 10~30Vdc - 50w/12v - 100w/24v - IP20 Suitable for downlights LED	ZDIM	ZDIM100 1P	Dimmer for LED - Single Packaging	50	1	188
ELECTRICAL ACCESSORIES	DIMMERS - For LED/POWER LED - 10~30VDC - 50w/12v - 100w/24v - IP20 Suitable for Strip Led, Power Strip Led, LED, PowerLED Downlight	LDIM BUS 2 CH	LDIM 2CH 1P	Dimmer for LED / PowerLED - Single Packaging	280	1	188
ELECTRICAL ACCESSORIES	DIMMERS - For LED/POWER LED - 10~30VDC - 75w/12v - 150w/24v - IP20 Suitable for Strip Led, Power Strip Led, LED, PowerLED Downlight	LDIM BUS 4 CH RGBW	LDIM RGBW 1P	Dimmer for LED / PowerLED - Single Packaging	360	1	188
ELECTRICAL ACCESSORIES	DC-DC Dimmer - Master/Slave - Operating voltage 10~30VDC - 150w/12v - 300w/24v - IP20 Suitable for downlights Halogen, Wall-light, StripLED	HDIM300	HDIM PLUS MASTE 1P	Master dimmer for halogen lights, led, power strip led, strip led - Single Packaging	140	1	188
ELECTRICAL ACCESSORIES	DC-DC Dimmer - Master/Slave - Operating voltage 10~30VDC - 150w/12v - 300w/24v - IP20 Suitable for downlights Halogen, Wall-light, StripLED	HDIM301	HDIM PLUS SLAVE 1P	Slave dimmer for halogen lights, led, power strip led, strip led - Single Packaging	120	1	188
ELECTRICAL ACCESSORIES	RGBW System Device for getting a complete RGBW system	QUICK CONTROL COLOR	QCC-LCS TP 1P	Color Light Selector - Touch Panel - Single Packaging	110	1	189
ELECTRICAL ACCESSORIES	RGBW System Device for getting a complete RGBW system	QUICK CONTROL COLOR	QCC-SPT DMX 1P	SPT DMX - 4 channels - Single Packaging	1060	1	189
ELECTRICAL ACCESSORIES	RGBW System Device for getting a complete RGBW system	QUICK CONTROL COLOR	QCC-PLT 300 1P	Pilot 300 Watt - Single Packaging	655	1	189
ELECTRICAL ACCESSORIES	RGBW System Device for getting a complete RGBW system	QUICK CONTROL COLOR	QCC-DRV 4CH 1P	Driver 350mA - 4 channels - Single Packaging	195	1	189
LED COURTESY LIGHTS	Courtesy light LED - Recess 13mm - Operating voltage 10~30Vdc - IP65 - CO20 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, Blue, Red	TINA	TINA 1P	Courtesy LED light - SinglePackaging	25	1	124
LED COURTESY LIGHTS	Courtesy light LED - Very low recess 13mm - Operating voltage 10~30Vdc - IP65 - CO15,5 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, Blue, Red	TESS	TESS 1P	Courtesy light LED - Single Packaging	34	1	124
LED COURTESY LIGHTS	Courtesy light Hi luminosity LED - Recess 24mm - Operating voltage 10~30Vdc - IP65 - CO39 Round frame in SS AISI316 - Mirror polished stainless steel, satin. Daylight, Warm white	MARGOT	MARGOT 1L 1P	Courtesy light PowerLED 1 side light - Single Packaging Courtesy	45	1	124

LED COURTESY LIGHTS	Courtesy light Hi luminosity LED - Recess 24mm - Operating voltage 10~30VDC - IP65 - CO39 Round frame in SS AISI316 - Mirror polished stainless steel, satin. Daylight, Warm white	MARGOT	MARGOT 2L 1P	light PowerLED 2 sides light - Single Packaging	45	1	124
LED COURTESY LIGHTS	Courtesy light LED - Recess 24mm - Operating voltage 10~30VDC - IP65 - CO38 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white	GWENDA	GWENDA 1L 1P	Courtesy light LED 1 side light - Single Packaging	50	1	124
LED COURTESY LIGHTS	Courtesy light LED - Recess 24mm - Operating voltage 10~30VDC - IP65 - CO38 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white	GWENDA	GWENDA 2L 1P	Courtesy light LED 2 lighting sides - Single Packaging	57	1	124
LED COURTESY LIGHTS	Courtesy light LED - Recess 21mm - Operating voltage 10~30VDC - IP65 - CO40 UV-proof technopolymer, shock resistant - Daylight, Warm, Blue, Red	PATRICIA	PATRICIA 1P	Courtesy LED light - Single Packaging	21	1	124
LED COURTESY LIGHTS	Courtesy light LED - Recess 21mm - Operating voltage 10~30VDC - IP65 - CO45 Square shape ring in SS AISI 316 / Lens technopolymer shock resistant - Mirror polished, satin SS, white 9010 - Daylight, Warm white, Blue, R	IRENE	IRENE 1P	Courtesy LED light - Single Packaging	27	1	125
LED COURTESY LIGHTS	Courtesy light LED - Recess 21mm - Operating voltage 10~30VDC - IP65 - CO37,5 Square shape ring in SS AISI 316 / Lens technopolymer shock resistant - Mirror polished, satin SS, white 9010 - Daylight, Warm white, Blue,	ILENIA	ILENIA 1P	Courtesy LED light - Single Packaging	36	1	125
LED COURTESY LIGHTS	Courtesy light PowerLED - Recess 39,5mm - Operating voltage 10~30VDC - IP65 - CO36 Round frame in SS AISI316 - Mirror polished stainless steel. Daylight, Warm white	GAIA	GAIA 1P	Courtesy light PowerLED - Single Packaging - 3,5W	120	1	125
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO44 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	HARRIET	HARRIET 1P	Courtesy Power LED or Downlight PowerLED - Single Packaging - 1,5W	77	1	126
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO43 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	HALLIE	HALLIE 1P	Courtesy PowerLED or downlight PowerLED - Single Packaging - 1,5W	97	1	126
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO44 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	GRACE	GRACE 1L 1P	Courtesy light LED 1 lighting side - Single Packaging - 1,5W	85	1	126
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO44 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	GRACE	GRACE 2L 1P	Courtesy light LED 2 lighting sides - Single Packaging - 1,5W	85	1	126
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO43 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	GLADIS	GLADIS 1L 1P	Courtesy light LED 1 lighting side - Single Packaging - 1,5W	95	1	126
LED COURTESY LIGHTS	Courtesy light Power LED - Very low recess 3mm - Operating voltage 10~30VDC - IP65 - CO43 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, Blue	GLADIS	GLADIS 2L 1P	Courtesy light LED 2 lighting sides - Single Packaging - 1,5W	95	1	126
LED COURTESY LIGHTS	Courtesy light PowerLED - Recess 19mm - Operating voltage 10~30VDC - IP65 - CO36 Square shape SS AISI316 - Mirror polished, satin SS. Transparent lens. Daylight, Warm white	LIDA	LIDA 1P	Downlight PowerLED - Single Packaging - 1,5W	100	1	127
LED COURTESY LIGHTS	Courtesy light LED - Recess 34mm - Operating voltage 10~30VDC - IP65 - CO40 Square frame in glass - Frosted lens. Daylight, Warm white	SUGAR	SUGAR LP 1P	Courtesy LED light - glass 4mm - Single Packaging - 3W	115	1	127
LED COURTESY LIGHTS	Courtesy light LED - Recess 34mm - Operating voltage 10~30VDC - IP65 - CO40 Square frame in glass - Frosted lens. Daylight, Warm white	SUGAR	SUGAR HP 1P	Courtesy LED light - glass 8mm - Single Packaging - 3W	120	1	127
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP40 - CO21x60 Rectangulare shape in SS AISI316 - Mirror polished SS finish. Daylight, Red, Blue	TILL	TILL 1P	Courtesy light LED - Single Packaging	70	1	128
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP65 - CO46x33 Plastic oval shape - Chromed finish, white plastic finish 9010. Daylight, Blue, Red.	EYELID	EYELID 1P	Courtesy light LED - Single Packaging	19	1	128
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 12/24VDC - IP65 - CO77,5x38 SS AISI 316 - Chromed and white 9010 finish. Daylight, warm light	EDEL	EDEL 1P	Courtesy LED light - Single Packaging - 1W	26	1	128
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-SSR1 1P	Courtesy light LED - Single Packaging	26	1	129
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-SSR2 1P	Courtesy light LED - Single Packaging	26	1	129
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-SSR4 1P	Courtesy light LED - Single Packaging	27	1	129

LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-CPR1 1P	Courtesy light LED - Single Packaging	20	1	129
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-CPR2 1P	Courtesy light LED - Single Packaging	20	1	129
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-CPA1 1P	Courtesy light LED - Single Packaging	20	1	129
LED COURTESY LIGHTS	Courtesy light LED - Operating voltage 10~30VDC - IP68 - CO68x14 - CO69x15 Rectangulare shape cover in SS AISI316 or in plastic - Mirror polished SS finish, white plastic. Daylight, Red, Blue	TAB	TAB-CPA3 1P	Courtesy light LED - Single Packaging	20	1	129
LED COURTESY LIGHTS	Courtesy light LED - Recess 20,5mm - Operating voltage 10~30VDC - IP66 - CO72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, blue, red, white/blue, white/red	VENUS 72	VENUS 7 4W 1P	Courtesy LED light - Single Packaging - 4W	78	1	130
LED COURTESY LIGHTS	Courtesy light LED - Recess 20,5mm - Operating voltage 10~30VDC - IP66 - CO72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, blue, red, white/blue, white/red	VENUS 72	VENUS 7 4W BC 1P	Courtesy LED light - Single Packaging - 4W	78	1	130
LED COURTESY LIGHTS	Courtesy light LED - Recess 41mm - Operating voltage 10~30VDC - IP66 - CO88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, white/blue, white/red, RGBW	VENUS 88	VENUS 8 6W 1P	Courtesy LED light - Single Packaging - 6W	90	1	130
LED COURTESY LIGHTS	Courtesy light LED - Recess 41mm - Operating voltage 10~30VDC - IP66 - CO88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, white/blue, white/red, RGBW	VENUS 88	VENUS 8 6W BC 1P	Courtesy LED light - Single Packaging - 6W	90	1	130
LED COURTESY LIGHTS	Courtesy light LED - Recess 41mm - Operating voltage 10~30VDC - IP66 - CO88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white, white/blue, white/red, RGBW	VENUS 88	VENUS 8 QC 1P	Courtesy LED light RGBW - Single Packaging - 6W	111	1	130
LED DOWNLIGHTS	Downlight Power LED - Recess 34,5mm - Operating voltage 10~30VDC - IP65 - DL39,5 Round shape SS AISI 316 - Mirror polished, satin SS. Daylight, Warm white	ELY	ELY 1P	Downlight PowerLED - Single Packaging - 3W	69	1	42
LED DOWNLIGHTS	Downlight Power LED - Very low recess 19mm - Operating voltage - 10~30VDC - IP65 - DL42 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Daylight, Warm white	JO	JO 1P	Downlight PowerLED - Single Packaging - 1,5W	90	1	42
LED DOWNLIGHTS	Downlight Power LED - Very low recess 19mm - Operating voltage 10~30VDC - IP65 - DL36 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Transparent lens. Daylight, Warm white	JD	JD 1P	Downlight PowerLED - Single Packaging - 1,5W	95	1	42
LED DOWNLIGHTS	Downlight Power LED - Recess 35mm - Operating voltage 10~30VDC - IP65 - DL50x50, 50x100, 50x150 Square shape	ERICA	ERICA 1 1P	Downlight PowerLED - Single Packaging - 2W	61	1	43
LED DOWNLIGHTS	Downlight Power LED - Recess 35mm - Operating voltage 10~30VDC - IP65 - DL50x50, 50x100, 50x150 Square shape	ERICA	ERICA 2 1P	Downlight PowerLED - Single Packaging - 4W (2W+2W)	111	1	43
LED DOWNLIGHTS	Downlight Power LED - Recess 35mm - Operating voltage 10~30VDC - IP65 - DL50x50, 50x100, 50x150 Square shape	ERICA	ERICA 3 1P	Downlight PowerLED - Single Packaging - 6W (2W+2W+2W)	171	1	43
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED CLUB	TED C 1P	Downlight LED - Spring installation - IP40 - Single Packaging - 2W	38	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED CLUB	TED C BC 1P	Downlight LED - Spring installation - IP40 - Single Packaging - 2W	38	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED CLUB	TED C IP 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 2W	42	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED CLUB	TED C BC IP 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 2W	42	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16mm - Operating voltage 10~30VDC - IP40 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	TED CLUB CS	TED CS 1P	Downlight LED - Spring installation - IP40 - switch - Single Packaging - 2W	41	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	TED CLUB CT	TED CT 1P	Downlight LED - Spring installation - IP40 - touch switch - Single Packaging - 2W	45	1	45
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30VDC - IP40/IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	TED CLUB CT	TED CT IP 1P	Downlight LED - Screw base installation - IP66 - touch switch - Single Packaging - 2W	49	1	45





LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30Vdc - IP40/IP66 - DL72 Square plastic shape - White 9010, titanium metallic. Frosted lens. Daylight, Warm white, blu, red.	BRYAN NICE T	BRYAN NT 1P	Downlight LED - Spring installation - IP40 - touch switch - Single Packaging - 2W	33	1	51
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30Vdc - IP40/IP66 - DL72 Square plastic shape - White 9010, titanium metallic. Frosted lens. Daylight, Warm white, blu, red.	BRYAN NICE T	BRYAN NT IP 1P	Downlight LED - Screw installation - IP66 - Single Packaging - 2W	37	1	51
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30Vdc - IP40/IP66 - DL72 Square plastic shape - White 9010, titanium metallic. Frosted lens. Daylight-blu, Warm white-blu, Daylight-red, Warm white-red.	BRYAN NICE DUAL	BRYAN N DUAL 1P	Downlight LED - Spring installation - IP40 - touch switch - Single Packaging - 2W+2W	33	1	51
LED DOWNLIGHTS	Downlight LED - Very low recess 16/14mm - Operating voltage 10~30Vdc - IP40/IP66 - DL72 Square plastic shape - White 9010, titanium metallic. Frosted lens. Daylight-blu, Warm white-blu, Daylight-red, Warm white-red.	BRYAN NICE DUAL	BRYAN N DUAL IP 1P	Downlight LED - Screw installation - IP66 - Single Packaging - 2W+2W	37	1	51
LED DOWNLIGHTS	Downlight Power LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED VIP	TED V 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	70	1	53
LED DOWNLIGHTS	Downlight Power LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED VIP	TED V 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	70	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	EDWIN VIP	EDWIN V 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	75	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	EDWIN VIP	EDWIN V 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	75	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	BRYAN VIP	BRYAN V 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	75	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	BRYAN VIP	BRYAN V 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	75	1	53
LED DOWNLIGHTS	Downlight Power LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Round plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED VIP NICE	TED VN 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	66	1	53
LED DOWNLIGHTS	Downlight Power LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Round plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TED VIP NICE	TED VN 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	66	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	EDWIN VIP NICE	EDWIN VN 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	71	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	EDWIN VIP NICE	EDWIN VN 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	71	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	BRYAN VIP NICE	BRYAN VN 4W 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	71	1	53
LED DOWNLIGHTS	Downlight LED - Low recess 20,5mm - Operating voltage 10~30Vdc - IP66 - DL72 Square plastic shape - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	BRYAN VIP NICE	BRYAN VN 4W BC 1P	Downlight LED - Screw base installation - IP66 - Single Packaging - 4W	71	1	53
LED DOWNLIGHTS	Downlight Power LED - Low recess 28/30mm - Operating voltage 10~30Vdc - IP66 - DL82 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	KAI XP LP/HP 4W	KAI HP 4W 1P	Downlight PowerLED - Screw base installation - IP66 - Single Packaging - 4W	69	1	55
LED DOWNLIGHTS	Downlight Power LED - Low recess 28/30mm - Operating voltage 10~30Vdc - IP66 - DL82 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	KAI XP LP/HP 4W	KAI HP 4W BC 1P	Downlight PowerLED - Screw base installation - IP66 - Single Packaging - 4W	69	1	55







LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA HP 6W 1P	Downlight PowerLED - Screw base installation - IP66 - Single Packaging - 6W	71	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA HP 6W BC 1P	Downlight PowerLED - Screw base installation - IP66 - Single Packaging - 6W	71	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA HP QC 1P	Downlight PowerLED RGBW - Screw base installation - IP66 - Single Packaging - 6W	77	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA LP 6W 1P	Downlight PowerLED - Spring installation - IP66 - Single Packaging - 6W	70	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA LP 6W BC 1P	Downlight PowerLED - Spring installation - IP66 - Single Packaging - 6W	70	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 30/28mm - Operating voltage 10~30VDC - IP66 - DL79 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red, rgbw	BLAKE XP LP/HP 6W	BLA LP QC 1P	Downlight PowerLED RGBW - Spring installation - IP66 - Single Packaging - 6W	76	1	58
LED DOWNLIGHTS	Downlight Power LED - Low recess 35mm - Operating voltage 10~30VDC - IP40 - DL65 Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	YOKO	YOKO 1P	Downlight Power LED - Single Packaging - 1,5W	56	1	59
LED DOWNLIGHTS	Downlight Power LED - Low recess 33mm - Operating voltage 10~30VDC - IP40 - DL65 - Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	LUCILLE	LUCILLE 1P	Downlight PowerLED - Single Packaging - 1,5W	59	1	59
LED DOWNLIGHTS	Downlight Power LED - Low recess 42mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	NIKITA 4W	NIKITA 1P	Downlight PowerLED - Single Packaging - 4W	90	1	60
LED DOWNLIGHTS	Downlight Power LED - Low recess 42mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	NIKITA 4W	NIKITA BC 1P	Downlight PowerLED - Single Packaging - 4W	90	1	60
LED DOWNLIGHTS	Downlight Power LED - Low recess 71mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	NIKITA 9W	NIKITA 9W 1P	Downlight PowerLED - Single Packaging - 9W	151	1	60
LED DOWNLIGHTS	Downlight Power LED - Low recess 71mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	NIKITA 9W	NIKITA 9W BC 1P	Downlight PowerLED - Single Packaging - 9W	151	1	60
LED DOWNLIGHTS	Frames for Nikita downlight Square/rectangular shape frames in SS AISI 316 - Accessory for the installation of 1 or more Nikita downlights. Mirror polished SS, satin SS,	NK	NKL1 1P	OSP KIT NK1 100x100 for downlight Nikita (downlight not included) - Single Packaging	60	1	60
LED DOWNLIGHTS	Frames for Nikita downlight Square/rectangular shape frames in SS AISI 316 - Accessory for the installation of 1 or more Nikita downlights. Mirror polished SS, satin SS,	NK	NKL2 1P	OSP KIT NK2 192x100 for downlight Nikita (downlight not included) - Single Packaging	84	1	60
LED DOWNLIGHTS	Frames for Nikita downlight Square/rectangular shape frames in SS AISI 316 - Accessory for the installation of 1 or more Nikita downlights. Mirror polished SS, satin SS,	NK	NKL3 1P	OSP KIT NK3 284x100 for downlight Nikita (downlight not included) - Single Packaging	123	1	60
LED DOWNLIGHTS	Downlight Power LED - Low recess 42/71mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	REGINA 4W	REGINA 85 1P	Downlight PowerLED - Single Packaging - 4W	84	1	61
LED DOWNLIGHTS	Downlight Power LED - Low recess 42/71mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	REGINA 4W	REGINA 85 BC 1P	Downlight PowerLED - Single Packaging - 4W	84	1	61
LED DOWNLIGHTS	Downlight Power LED - Low recess 42/71 mm - Operating voltage 10~30VDC - IP40 - DL85 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	REGINA 9W	REGINA 9W 1P	Downlight PowerLED - Single Packaging - 9W	150	1	61

LED DOWNLIGHTS	Downlight Power LED - Low recess 42/71 mm - Operating voltage 10~30Vdc - IP40 - DL85 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	REGINA 9W	REGINA 9W BC 1P	Downlight PowerLED - Single Packaging - 9W	150	1	61
LED DOWNLIGHTS	Downlight Power LED - Recess 64,5mm - Operating voltage 8-31Vdc - IP40 - DL112 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	VANESSA 7W	VANESSA 1P	Downlight PowerLED - spring installation - Single Packaging - 7W	190	1	62
LED DOWNLIGHTS	Downlight Power LED - Recess 64,5mm - Operating voltage 8-31Vdc - IP40 - DL112 - Adjustable Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	VANESSA 7W	VANESSA QC 1P	Downlight RGBW PowerLED - spring installation - Single Packaging - 6W	196	1	62
LED DOWNLIGHTS	Downlight Power LED - Recess 57mm - Operating voltage 10~30Vdc - IP40 - DL112 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	KRISTINE 7W	KRISTINE 1P	Downlight PowerLED - Spring installation - Single Packaging - 7W	174	1	63
LED DOWNLIGHTS	Downlight Power LED - Recess 57mm - Operating voltage 10~30Vdc - IP40 - DL112 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	KRISTINE 7W	KRISTINE QC 1P	Downlight RGBW PowerLED - Spring installation - Single Packaging - 6W	180	1	63
LED DOWNLIGHTS	Downlight Power LED - Recess 54mm- Operating voltage 8-31Vdc - IP65 - DL112 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	DEMETRA 7W	DEMETRA 1P	Downlight PowerLED - Screw base installation - Single Packaging - 7W	190	1	63
LED DOWNLIGHTS	Downlight Power LED - Recess 54mm- Operating voltage 8-31Vdc - IP65 - DL112 Square shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	DEMETRA 7W	DEMETRA QC 1P	Downlight RGBW PowerLED - Screw base installation - Single Packaging - 6W	196	1	63
LED DOWNLIGHTS	Downlight Power LED - Low recess 28mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	CHIARA 4W	CHIARA 1P	Downlight PowerLED - Single Packaging - 4W	84	1	64
LED DOWNLIGHTS	Downlight Power LED - Low recess 28mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	CHIARA 4W	CHIARA BC 1P	Downlight PowerLED - Single Packaging - 4W	84	1	64
LED DOWNLIGHTS	Downlight Power LED - Low recess 41mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red, rgbw	CHIARA 6W	CHIARA 6W 1P	Downlight PowerLED - Single Packaging - 6W	94	1	64
LED DOWNLIGHTS	Downlight Power LED - Low recess 41mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red, rgbw	CHIARA 6W	CHIARA 6W BC 1P	Downlight PowerLED - Single Packaging - 6W	94	1	64
LED DOWNLIGHTS	Downlight Power LED - Low recess 41mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red, rgbw	CHIARA 6W	CHIARA QC 1P	Downlight PowerLED RGBW - Single Packaging - 6W	100	1	64
LED DOWNLIGHTS	Downlight Power LED - Low recess 34mm - Operating voltage 10~30Vdc - IP66 - DL105 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	SONIA 4W	SONIA 1P	Downlight PowerLED - Single Packaging - 4W	89	1	65
LED DOWNLIGHTS	Downlight Power LED - Low recess 34mm - Operating voltage 10~30Vdc - IP66 - DL105 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	SONIA 4W	SONIA BC 1P	Downlight PowerLED - Single Packaging - 4W	89	1	65
LED DOWNLIGHTS	Downlight Power LED - Low recess 57,5mm - Operating voltage 10~30Vdc - IP66 - DL105 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	SONIA 9W	SONIA 9W 1P	Downlight PowerLED - Single Packaging -9W	110	1	65
LED DOWNLIGHTS	Downlight Power LED - Low recess 57,5mm - Operating voltage 10~30Vdc - IP66 - DL105 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, white/blue, white/red	SONIA 9W	SONIA 9W BC 1P	Downlight PowerLED - Single Packaging -9W	110	1	65
LED DOWNLIGHTS	Downlight Power LED - Recess 55mm - Operating voltage 10~30Vdc - IP40 - DL102 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight and Warm white	CRISTIAN 7W	CRISTIAN 1P	Downlight PowerLED - Single Packaging - 7W	135	1	66
LED DOWNLIGHTS	Downlight Power LED - Recess 55mm - Operating voltage 10~30Vdc - IP40 - DL102 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight and Warm white	CRISTIAN 7W	CRISTIAN QC 1P	Downlight PowerLED RGBW - Single Packaging - 6W	141	1	66
LED DOWNLIGHTS	Downlight Hi luminosity LED - Low recess 25mm - Operating voltage 10~30Vdc - IP65 - DL155 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white	THEKLA 9W	THEKLA 1P	Downlight LED - Single Packaging - 9W	120	1	66
LED DOWNLIGHTS	Downlight Power LED - Recess 50,3mm - Costant current 700mA - IP20 - DL78 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 8W	OWLS 8W 1P	Downlight PowerLED - Blister packaging - 8W	28	1	67
LED DOWNLIGHTS	Downlight Power LED - Recess 60mm - Costant current 2500mA - IP20 - DL98 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 12W	OWLS 12W 1P	Downlight PowerLED - Blister packaging - 12W	39	1	67

LED DOWNLIGHTS	Downlight Power LED - Recess 81mm - Costant current 350mA - IP20 - DL116 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 16W	OWLS 16W 1P	Downlight PowerLED - Blister packaging - 16W	50	1	68
LED DOWNLIGHTS	Downlight Power LED - Recess 81mm - Costant current 500mA - IP20 - DL116 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 22W	OWLS 22W 1P	Downlight PowerLED - Blister packaging - 22W	55	1	68
LED DOWNLIGHTS	Downlight Power LED - Recess 101mm - Costant current 700mA - IP20 - DL142 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 30W	OWLS 30W 1P	Downlight PowerLED - Blister packaging - 30W	64	1	69
LED DOWNLIGHTS	Downlight Power LED - Recess 150mm - Costant current 900mA - IP20 - DL208 Round shape Alluminium - Anthracite, satin, white 9010. Transparent lens. Daylight, Warm white	OWLS 40W	OWLS 40W 1P	Downlight PowerLED - Blister packaging - 40W	124	1	69
LED DOWNLIGHTS	Downlight Power LED - Recess 70mm - Costant current 700mA - IP40 - DL220 Round shape Alluminium - White 9010. Frosted lens. Daylight	ATHOS 27W	ATHOS 1P	Downlight PowerLED - Blister packaging - 27W	87	1	-
LED DOWNLIGHTS	Downlight Power LED - Recess 62mm - Costant current 350mA - IP20 - DL152 Round shape Alluminium - White 9010, cromed. Frosted lens. Daylight, Warm white	WOLF 10W	WOLF 10W 1P	Downlight PowerLED - Blister packaging - 10W	57	1	-
LED DOWNLIGHTS	Downlight Power LED - Recess 72mm - Costant current 700mA - IP20 - DL199 Round shape Alluminium - White 9010, cromed. Frosted lens. Daylight, Warm white	WOLF 20W	WOLF 20W 1P	Downlight PowerLED - Blister packaging - 20W	84	1	-
LED DOWNLIGHTS	Downlight PowerLED - Recess 27/37mm - Operating voltage 10~30VDC - IP65 - DL86	DAPHNE 4W	DAPHNE LP 1P	Downlight PowerLED - glass 4mm - Single Packaging - 4W	127	1	71
LED DOWNLIGHTS	Downlight PowerLED - Recess 27/37mm - Operating voltage 10~30VDC - IP65 - DL87	DAPHNE 4W	DAPHNE HP 1P	Downlight PowerLED - glass 8mm - Single Packaging - 4W	132	1	71
LED DOWNLIGHTS	Downlight PowerLED - Recess 58mm - Operating voltage 10~30VDC - IP40 - DL111 Square frame in glass - Frosted lens. Daylight, Warm white	DANAE 7W	DANAE LP 1P	Downlight PowerLED - glass 4mm - Single Packaging - 7W	160	1	71
LED DOWNLIGHTS	Downlight PowerLED - Recess 58mm - Operating voltage 10~30VDC - IP40 - DL111 Square frame in glass - Frosted lens. Daylight, Warm white	DANAE 7W	DANAE HP 1P	Downlight PowerLED - glass 8mm - Single Packaging - 7W	166	1	71
LED DOWNLIGHTS	Downlight PowerLED - Recess 32mm - Operating voltage 10~30VDC - Spring/Screw installation - IP65 - DL720X150 Rectangular frame in glass - Frosted lens. Daylight, Warm white	SUGAR PLATE 18W	SUGAR PLATE 1P	Downlight PowerLED - glass 6mm - Single Packaging - 18W	350	1	72
LED FLOODLIGHTS	Outdoor floodlight - Operating voltage 110 Vac / 220 Vac - IP65 Alluminium and tempered glass. Daylight	SPACE SERIES	SPACE 30W 1P	Outdoor floodlight - adjustable - Single Packaging - 30W	109	1	132
LED FLOODLIGHTS	Outdoor floodlight - Operating voltage 110 Vac / 220 Vac - IP65 Alluminium and tempered glass. Daylight	SPACE SERIES	SPACE 50W 1P	Outdoor floodlight - adjustable - Single Packaging - 50W	160	1	133
LED FLOODLIGHTS	Outdoor floodlight - Operating voltage 110 Vac / 220 Vac - IP65 Alluminium and tempered glass. Daylight	SPACE SERIES	SPACE 100W 1P	Outdoor floodlight - adjustable - Single Packaging - 100W	415	1	134
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA15 1P	Barlight LED - length: 150mm - Single Packaging - 1,5W	63	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA15 NS 1P	Barlight LED - length: 150mm - Single Packaging - no switch - 1,5W	63	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA28 1P	Barlight LED - length: 280mm - Single Packaging - 3W	126	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA28 NS 1P	Barlight LED - length: 280mm - Single Packaging - no switch - 3W	126	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA41 1P	Barlight LED - length: 410mm - Single Packaging - 4,5W	189	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Alloy - Finishes: Chromed, Opacque anodized aluminium. Warm white, Cool white, Daylight	SYRIA	SYRIA41 NS 1P	Barlight LED - length: 410mm - Single Packaging - no switch - 4,5W	189	1	90
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Composite material - Finishes: white. Warm white, Daylight	LINDA SERIES	LINDA 21 1P	Barlight LED - length: 210mm - Single Packaging - 1,5W	35	1	91
LED LIGHT BARS AND STRIP LED	Barlight LED - Surface mount - Operating voltage 10~15VDC / 20~30VDC - IP40 Composite material - Finishes: white. Warm white, Daylight	LINDA SERIES	LINDA 31 1P	Barlight LED - length: 310mm - Single Packaging - 3W	52	1	91
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 120 1P	Barlight LED 120mm - Single Packaging	50	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 235 1P	Barlight LED235mm - Single Packaging	65	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 350 1P	Barlight LED350mm - Single Packaging	85	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 465 1P	Barlight LED465mm - Single Packaging	95	1	92

LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 575 1P	Barlight LED575mm - Single Packaging	115	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 690 1P	Barlight LED690mm - Single Packaging	125	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 805 1P	Barlight LED805mm - Single Packaging	140	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 920 1P	Barlight LED920mm - Single Packaging	155	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 1035 1P	Barlight LED1035mm - Single Packaging	175	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 1145 1P	Barlight LED1145mm - Single Packaging	185	1	92
LED LIGHT BARS AND STRIP LED	LED light bars - Operating voltage 10~15VDC / 20~30VDC - 14,4w/m - IP40 Alloy. White 9010 finish - Warm white, Daylight	SIMPLY	SIMPLY 1260 1P	Barlight LED1260mm - Single Packaging	195	1	92
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - 8w/m - IP40 Anodized aluminium. Diffuser in polycarbonate. Warm white, daylight	INFINITY	INFINITY 1,0 1P	Barlight LED - Blister packaging	100	1	93
LED LIGHT BARS AND STRIP LED	Wardrobe Led Light Bar - Operating voltage 10~15Vdc - 20~30VDC -4,8w/m - IP66 Alluminium bar. Mounting brackets in plastic. Daylight, Warm white	DRESS-UP	DRESS 1,0 1P	Barlight LED - length: 1000mm - 4,8W - Single Packaging	110	1	92
LED LIGHT BARS AND STRIP LED	Wardrobe Led Light Bar - Operating voltage 10~15Vdc - 20~30VDC -4,8w/m - IP66 Alluminium bar. Mounting brackets in plastic. Daylight, Warm white	DRESS-UP	DRESS 1,5 1P	Barlight LED - length: 1500mm - 7,2W - Single Packaging	160	1	92
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 2D	MODU 2D 30 1P	Barlight LED - length: 300mm - Single Packaging - 3W	60	1	94
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 2D	MODU 2D 50 1P	Barlight LED - length: 500mm - Single Packaging - 5W	90	1	94
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 2D	MODU 2D 100 1P	Barlight LED - length: 1000mm - Single Packaging - 10W	170	1	94
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 3D	MODU 3D 30 1P	Barlight LED - length: 300mm - Blister packaging - 3W	60	1	94
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 3D	MODU 3D 50 1P	Barlight LED - length: 500mm - Blister packaging - 5W	93	1	94
LED LIGHT BARS AND STRIP LED	Barlight LED - Operating voltage 10~15VDC / 20~30VDC - IP40 Anodized aluminium. Warm white	MODULAR 3D	MODU 3D 100 1P	Barlight LED - length: 1000mm - Blister packaging - 10W	175	1	94
LED LIGHT BARS AND STRIP LED	Built-in led light bar - Operating voltage 20~30VDC - 18w/m - IP66 Polycarbonate. Daylight, Warm white	MAXIBAR	MAXIBAR 1,0 1P	Maxibar - lenght: 1,0mt - Single Packaging	125	1	95
LED LIGHT BARS AND STRIP LED	Built-in led light bar - Operating voltage 20~30VDC - 18w/m - IP66 Polycarbonate. Daylight, Warm white	MAXIBAR	MAXIBAR 2,0 1P	Maxibar - lenght: 2,0mt - Single Packaging	240	1	95
LED LIGHT BARS AND STRIP LED	Power stripLED - Costant voltage 24V - 12w/m - IP40 Led bar with rigid transparent or frosten polycarbonate protecntion. Warm white, daylight	SMARTLINE	SMARTL 100 1P	Barlight 60 LED - 12W	80	1	-
LED LIGHT BARS AND STRIP LED	Power stripLED - Costant voltage 24V - 12w/m - IP40 Led bar with rigid transparent or frosten polycarbonate protecntion. Warm white, daylight	SMARTLINE	SMARTL 200 1P	Barlight 120 LED - 24W	130	1	-
LED LIGHT BARS AND STRIP LED	Power stripLED - Costant voltage 24V - 12w/m - IP40 Led bar with rigid transparent or frosten polycarbonate protecntion. Warm white, daylight	SMARTLINE	SMARTL 300 1P	Barlight 180 LED - 36W	180	1	-
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 10~15VDC / 20~30VDC - IP65 - 4,8w/m Sheat in UV-resistant silicone. Daylight, Warm white, Blue, Red	STRIP LED	STR 1,0 1P	StripLED - length: 100mm - Single Packaging	27	1	96
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 10~15VDC / 20~30VDC - IP65 - 4,8w/m Sheat in UV-resistant silicone. Daylight, Warm white, Blue, Red	STRIP LED	STR 2,5 1P	StripLED - length: 250mm - Single Packaging	50	1	96
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 10~15VDC / 20~30VDC - IP65 - 4,8w/m Sheat in UV-resistant silicone. Daylight, Warm white, Blue, Red	STRIP LED	STR 5,0 1P	StripLED - length: 500mm - Single Packaging	90	1	96
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 10~15VDC / 20~30VDC - IP65 - 4,8w/m Sheat in UV-resistant silicone. Daylight, Warm white, Blue, Red	STRIP LED	STR 10,0 1P	StripLED - length: 1000mm - Single Packaging	168	1	96
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 12w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP	STR HP 1,0 1P	Power stripLED - length: 1.0mt - Single Packaging	53	1	96
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 12w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP	STR HP 2,0 1P	Power stripLED - length: 2.0mt - Single Packaging	93	1	96
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 12w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP	STR HP 2,5 1P	Power stripLED - length: 2.5mt - Single Packaging	113	1	96
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 12w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP	STR HP 10,0 1P	Power stripLED - length: 10.0mt - Single Packaging	416	1	96
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 10w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP PLUS	STR HP+ 1,0 1P	Power stripLED - length: 1.0mt - Single Packaging	53	1	97
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 10w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP PLUS	STR HP+ 2,0 1P	Power stripLED - length: 2.0mt - Single Packaging	93	1	97
LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 10w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP PLUS	STR HP+ 5,0 1P	Power stripLED - length: 5.0mt - Single Packaging	200	1	97

LED LIGHT BARS AND STRIP LED	Power stripLED - Operating voltage 20~30VDC - IP65 - 10w/m UV-resistant silicon. Warm white, daylight	STRIP LED HP PLUS	STR HP+ 10,0 1P	Power stripLED - length: 10.0mt - Single Packaging	416	1	97
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 20~30VDC - IP65 - 2,6w/m UV-resistant silicon. Warm white/red	STRIP LED WR	STR W/R 1,0 1P	StripLED - length: 100mm - Single Packaging	39	1	97
LED LIGHT BARS AND STRIP LED	Courtesy stripLED - Operating voltage 20~30VDC - IP65 - 2,6w/m UV-resistant silicon. Warm white/red	STRIP LED WR	STR W/R 5,0 1P	StripLED - length: 500mm - Single Packaging	170	1	97
LED LIGHT BARS AND STRIP LED	StripLED - Operating voltage 20~30VDC - IP65 - 11w/m Sheat in UV-resistant silicone. RGBW (red, green, blue, white)	STRIP LED RGBW	STR RGBW 1,0 1P	StripLED - RGBW - Lenght 1.0mt - Single Packaging	59	1	98
LED LIGHT BARS AND STRIP LED	StripLED - Operating voltage 20~30VDC - IP65 - 11w/m Sheat in UV-resistant silicone. RGBW (red, green, blue, white)	STRIP LED RGBW	STR RGBW 2,0 1P	StripLED - RGBW - Lenght 2.0mt - Single Packaging	110	1	98
LED LIGHT BARS AND STRIP LED	StripLED - Operating voltage 20~30VDC - IP65 - 11w/m Sheat in UV-resistant silicone. RGBW (red, green, blue, white)	STRIP LED RGBW	STR RGBW 5,0 1P	StripLED - RGBW - Lenght 5.0mt - Single Packaging	230	1	98
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY 1,0 1P	Raceway for stripLEDs - length 1mt - Single Packaging	6	1	-
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY 1,5 1P	Raceway for stripLEDs - length 1.5mt - Single Packaging	9	1	-
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY 3,0 1P	Raceway for stripLEDs - length 3mt - Single Packaging	17	1	-
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY COV 1,0 1P	Raceway cover, frosted or transparent - length 1mt - Single Packaging	7	1	-
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY COV 1,5 1P	Raceway cover, frosted or transparent - length 1.5 - Single Packaging	10	1	-
LED LIGHT BARS AND STRIP LED	ACCESSORIES FOR STRIPLEDS Rubber caps, drivers, raceways, raceway covers	ACCESSORIES FOR STRIPLEDS	RWAY COV 3,0 1P	Raceway cover, frosted or transparent - length 3mt - Single Packaging	18	1	-
LED LIGHT BARS AND STRIP LED	Optical fiber - Operating voltage 220VAc - IP65 Daylight, RGB	STARRY SKY	SSKY SSW1 AC 1P	60 nude optical fiber - 2,5mt - Single Packaging - 3W	480	1	99
LED LIGHT BARS AND STRIP LED	Optical fiber - Operating voltage 220VAc - IP65 Daylight, RGB	STARRY SKY	SSKY SSW2 AC 1P	60 + 60 nude optical fiber - 2,5mt + 4mt - Single Packaging - 3W	705	1	99
LED LIGHT BARS AND STRIP LED	Optical fiber - Operating voltage 220VAc - IP65 Daylight, RGB	STARRY SKY	SSKY SSC1 AC 1P	60 nude optical fiber - 2,5mt - Single Packaging - 3W	570	1	99
LED LIGHT BARS AND STRIP LED	Optical fiber - Operating voltage 220VAc - IP65 Daylight, RGB	STARRY SKY	SSKY SSC2 AC 1P	60 + 60 nude optical fiber - 2,5mt + 4mt - Single Packaging - 3W	815	1	99
LED PANELS	Power Led Pannels - Costant current 500mA - IP40 Alluminium and polycarbonate, for built-in, ceiling or suspension installation. Daylight, Warm white	QUAD 30X30 18W	QUAD 30X30 1P	LED Panel - 18W	53	1	-
LED PANELS	Power Led Pannels - Costant current 500mA - IP40 Alluminium and polycarbonate, for built-in, ceiling or suspension installation. Daylight, Warm white	QUAD 30X60 18W	QUAD 30x60 1P	LED Panel - 18W	69	1	-
LED PANELS	Power Led Pannels - Costant current 1050mA - IP40 Alluminium and polycarbonate, for built-in, ceiling or suspension installation. Daylight, Warm white	QUAD 60X60 39W	QUAD 60X60 1P	LED Panel - 39W	112	1	-
LED PANELS	Power Led Pannels - Costant current 1050mA - IP40 Alluminium and polycarbonate, for built-in, ceiling or suspension installation. Daylight, Warm white	QUAD 30X120 39W	QUAD 30X120 1P	LED Panel - 39W	117	1	-
LED PANELS	Power Led Pannels - Costant current 1050mA - IP40 Alluminium and polycarbonate, for built-in, ceiling or suspension installation. Daylight, Warm white	QUAD 60X120 72W	QUAD 60X120 1P	LED Panel - 72W	159	1	-
LED PANELS	Power Led Pannels - Operating voltage 20~30Vdc - IP40 Alluminium and polycarbonate, surface-mount fixture with supports supplied (installation with cable optional). Daylight, Warm white	QUAD X 295X295 18W	QUAD X 30X30 1P	LED Panel - 18W	59	1	84
LED PANELS	Power Led Pannels - Operating voltage 20~30Vdc - IP40 Alluminium and polycarbonate, surface-mount fixture with supports supplied (installation with cable optional). Daylight, Warm white	QUAD X 295X595 36W	QUAD X 30X60 1P	LED Panel - 36W	104	1	84
LED PANELS	Power Led Pannels - Operating voltage 20~30Vdc - IP40 Alluminium and polycarbonate, surface-mount fixture with supports supplied (installation with cable optional). Daylight, Warm white	QUAD X 595X595 48W	QUAD X 60X60 1P	LED Panel - 48W	144	1	84
LED PANELS	Power Led Pannels - Operating voltage 20~30Vdc - IP40 Alluminium and polycarbonate, surface-mount fixture with supports supplied (installation with cable optional). Daylight, Warm white	QUAD X 295X1195 48W	QUAD X 30X120 1P	LED Panel - 48W	159	1	84
LED PANELS	Power Led Pannels - Operating voltage 20~30Vdc - IP40 Alluminium and polycarbonate, surface-mount fixture with supports supplied (installation with cable optional). Daylight, Warm white	QUAD X 595X1195 72W	QUAD X 60X120 1P	LED Panel - 72W	275	1	84

LED PANELS	Recessed led light panels - Operating voltage 80-264 Vac - IP20 Composite material - Spring installation - Daylight, Warm white. Power supply included.	HALL SERIES	HALL 40W 1P	Led panel - 40W	138	1	85
LED READING LIGHTS	Reading light LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, warm white	OLIVIA	OLIVIA 1P	Reading light LED - Single packaging - 2,5W	82	1	112
LED READING LIGHTS	Reading light LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, warm white	OLIVIA	OLIVIA NS 1P	Reading light LED - Single packaging - without switch - 2,5W	82	1	112
LED READING LIGHTS	Reading light LED with switch - Recess 5,5mm - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, warm white	JACOB	JACOB 1P	Reading light LED - Single Packaging - 2,5W	80	1	112
LED READING LIGHTS	Reading light LED with switch - Recess 5,5mm - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, warm white	JACOB	JACOB NS 1P	Reading light LED - Single Packaging - without switch - 2,5W	80	1	112
LED READING LIGHTS	Reading light LED with switch - Recess 5,5mm - Operating voltage 10~30VDC - IP40 Alloy - Chromed finishes - Daylight, cool white, warm white	NICOLE	NICOLE 1P	Reading light LED - Single Packaging - 1,2W	98	1	112
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight	JOYCE	JOYCE LED 1P	Reading light PowerLED - Single Packaging - 3W	125	1	113
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight	JOYCE	JOYCE LED NS 1P	Reading light PowerLED - Single Packaging - without switch - 3W	125	1	113
LED READING LIGHTS	Reading light LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, cool white, warm white	MAYA	MAYA30 1P	Reading light LED - Single Packaging - 1,2W	83	1	113
LED READING LIGHTS	Reading light LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish - Daylight, cool white, warm white	MAYA	MAYA60 1P	Reading light LED - Single Packaging - 1,2W	89	1	113
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/L 1P	Reading light PowerLED - chrome/leather - Single Packaging - 1,5W	185	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD S/L 1P	Reading light PowerLED - satin/leather - Single Packaging - 1,5W	196	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/N 1P	Reading light PowerLED - chrome/neoprene - Single Packaging - 1,5W	175	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD S/N 1P	Reading light PowerLED - satin/neoprene - Single Packaging - 1,5W	186	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/C 1P	Reading light PowerLED - chrome/chrome - Single Packaging - 1,5W	150	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/L NS 1P	Reading light PowerLED - chrome/leather - no switch - Single Packaging - 1,5W	185	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD S/L NS 1P	Reading light PowerLED - satin/leather - no switch - Single Packaging - 1,5W	196	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/N NS 1P	Reading light PowerLED - chrome/neoprene - no switch - Single Packaging - 1,5W	175	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD S/N NS 1P	Reading light PowerLED - satin/neoprene - no switch - Single Packaging - 1,5W	186	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY	AUD C/C NS 1P	Reading light PowerLED - chrome/chrome - no switch - Single Packaging - 1,5W	150	1	114
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/L 1P	Reading light PowerLED - chrome/leather - Single Packaging - 1,5W	185	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/L 1P	Reading light PowerLED - satin/leather - Single Packaging - 1,5W	196	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/N 1P	Reading light PowerLED - chrome/neoprene - Single Packaging - 1,5W	175	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/N 1P	Reading light PowerLED - satin/neoprene - Single Packaging - 1,5W	186	1	115

LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/C 1P	Reading light PowerLED - chrome/chrome - Single Packaging - 1,5W	150	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/L NS 1P	Reading light PowerLED - chrome/leather - no switch - Single Packaging - 1,5W	185	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/L NS 1P	Reading light PowerLED - satin/leather - no switch - Single Packaging - 1,5W	196	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/N NS 1P	Reading light PowerLED - chrome/neoprene - no switch - Single Packaging - 1,5W	175	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/N NS 1P	Reading light PowerLED - satin/neoprene - no switch - Single Packaging - 1,5W	186	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/C NS 1P	Reading light PowerLED - chrome/chrome - no switch - Single Packaging - 1,5W	150	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/L S2 1P	Reading light PowerLED - chrome/leather - switch on base - Single Packaging - 1,5W	185	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/L S2 1P	Reading light PowerLED - satin/leather - switch on base - Single Packaging - 1,5W	196	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/N S2 1P	Reading light PowerLED - chrome/neoprene - switch on base - Single Packaging - 1,5W	175	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL S/N S2 1P	Reading light PowerLED - satin/neoprene - switch on base - Single Packaging - 1,5W	186	1	115
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Alloy - Chromed aluminium, satin aluminium - Leg cover: chromed, leather, neoprene - Daylight	AUDREY WALL	AUD WL C/C S2 1P	Reading light PowerLED - chrome/chrome - switch on base - Single Packaging - 1,5W	150	1	115
LED READING LIGHTS	Reading light Power LED - Operating voltage 10~30VDC - IP40 Composite material - White, Black, Chromed, Metallic Grey - Leg cover: neoprene - Daylight	AUDREY WALL PL	AUD WL P/C NS 1P	Reading light PowerLED - chromed flexible arm - No switch - Single Packaging - 1,2W	97	1	115
LED READING LIGHTS	Reading light Power LED - Operating voltage 10~30VDC - IP40 Composite material - White, Black, Chromed, Metallic Grey - Leg cover: neoprene - Daylight	AUDREY WALL PL	AUD WL P/N NS 1P	Reading light PowerLED - neoprene flexible arm - No switch - Single Packaging - 1,2W	83	1	115
LED READING LIGHTS	Reading light Power LED - Operating voltage 10~30VDC - IP40 Composite material - White, Black, Chromed, Metallic Grey - Leg cover: neoprene - Daylight	AUDREY WALL PL	AUD WL P/C S2 1P	Reading light PowerLED - chromed flexible arm - Switch on base - Single Packaging - 1,2W	97	1	115
LED READING LIGHTS	Reading light Power LED - Operating voltage 10~30VDC - IP40 Composite material - White, Black, Chromed, Metallic Grey - Leg cover: neoprene - Daylight	AUDREY WALL PL	AUD WL P/N S2 1P	Reading light PowerLED - neoprene flexible arm - Switch on base - Single Packaging - 1,2W	83	1	115
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: black, brown, white, chromed and black neoprene - Daylight/Red	CALIFFA	CALIFFA 1P	Reading light PowerLED - touch switch - chrome/leather - Single Packaging - 1,5W	185	1	116
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: black, brown, white, chromed and black neoprene - Daylight/Red	CALIFFA	CALIFFA CRO 1P	Reading light PowerLED - touch switch - chrome/chrome - Single Packaging - 1,5W	150	1	116
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: black, brown, white, chromed and black neoprene - Daylight/Red	CALIFFA	CALIFFA CRON 1P	Reading light PowerLED - touch switch - chrome/black neoprene - Single Packaging - 1,5W	175	1	116
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: chromed, leather - Daylight/Red	CALIFFA WALL	CALIFFA WL 1P	Reading light PowerLED - touch switch - chrome/leather - Single Packaging - 1,5W	185	1	117
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: chromed, leather - Daylight/Red	CALIFFA WALL	CALIFFA WL CRO 1P	Reading light PowerLED - touch switch - chrome/chrome - Single Packaging - 1,5W	150	1	117
LED READING LIGHTS	Reading light Power LED with touch switch - Operating voltage 10~30VDC - IP40 SS AISI 316 - Leg cover: chromed, leather - Daylight/Red	CALIFFA WALL	CALIFFA WL CRON 1P	Reading light PowerLED - touch switch - chrome/black neoprene - Single Packaging - 1,5W	175	1	117
LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Composite material - Black colour. Bicolor Cool White/Red light	SHARK	SHARK30 1P	Reading light PowerLED - Single Packaging - 1,5W	72	1	118

LED READING LIGHTS	Reading light Power LED with switch - Operating voltage 10~30VDC - IP40 Composite material - Black colour. Bicolor Cool White/Red light	SHARK	SHARK50 1P	Reading light PowerLED - Single Packaging - 1,5W	80	1	118
LED READING LIGHTS	Reading light Power LED - Lights up opening - Operating voltage 10~30VDC - IP40 Composite material - Stainless steel decoration. Color white, nut. Warm white	BOOKLIGHT	BOOK 1P	Reading light PowerLED - Single Packaging - 1,5W	66	1	119
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating Voltage 10~30VDC - IP66 - FI72,5 Round shape SS AISI 316 - Mirror polished SS, Frosted lens, Warm white, daylight, blue, red, white/blue, white/red	BARBIE CLUB	BARBIE C 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	77	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating Voltage 10~30VDC - IP66 - FI72,5 Round shape SS AISI 316 - Mirror polished SS, Frosted lens, Warm white, daylight, blue, red, white/blue, white/red	BARBIE CLUB	BARBIE C BC 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	77	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating Voltage 10~30VDC - IP66 - FI72,5 Round shape SS AISI 316 - Mirror polished SS, Frosted lens, Warm white, daylight, blue, red, white/blue, white/red	BARBIE CLUB DUAL	BARBIE C DUAL 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W+2W	84	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TIM CLUB	TIM C 1P TIM	Downlight LED - Surface-mount fixture - Single Packaging - 2W Downlight	48	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	TIM CLUB	C BC 1P	LED - Surface-mount fixture - Single Packaging - 2W	48	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	TIM CS	TIM CS 1P	Downlight LED - Surface-mount fixture - with switch - Single Packaging - 2W	51	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	MINDY CLUB	MINDY C 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	52	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red, white/blue, white/red	MINDY CLUB	MINDY C BC 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	52	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	MINDY CS	MINDY CS 1P	Downlight LED - Surface-mount fixture - with switch - Single Packaging - 2W	55	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED with switch - Operating voltage 10~30VDC - IP40 - FI90 Round shape SS AISI 316 - Mirror polished, satin SS, white 9010. Frosted lens. Daylight, Warm white, blue, red	SANDY CLUB	SANDY C 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	56	1	78
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating Voltage 10~30VDC - IP40 - FI61 Square plastic shape - Mirror polished, white. Frosted lens. Warm white	TATI'	TATI 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	21	1	79
LED SURFACE MOUNT FIXTURE	Downlight LED - Surface-mount fixture - Operating Voltage 10~30VDC - IP40 - FI64 Round plastic shape - Mirror polished, white. Frosted lens. Warm white	MIRO'	MIRO 1P	Downlight LED - Surface-mount fixture - Single Packaging - 2W	20	1	79
LED SURFACE MOUNT FIXTURE	Surface-mount fixture Hi luminosity led - Operating Voltage 12/12-24VDC - IP66 - FI140/116 White plastic and frosted lens. Daylight	ACTION	ACTION 5W 1P	63 led ceiling light 12 volts - Single Packaging - 5W	48	1	79
LED SURFACE MOUNT FIXTURE	Surface-mount fixture Hi luminosity led - Operating Voltage 12/12-24VDC - IP66 - FI140/116 White plastic and frosted lens. Daylight	ACTION	ACTION 10W 1P	126 led ceiling light 12/24 volts - Single Packaging - 10W	70	1	79
LED SURFACE MOUNT FIXTURE	Utility LED light - 3 batteries AA 1,5V (not included) - IP40 - FI135 Polycarbonate - Silver grey colour. Cool White	KIRK	KIRK 1P	Utility LED light - Single Packaging	14	1	79
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 15 SP 1P	Underwater light PowerLED - Single Packaging - without through-hull - 15W	375	1	136
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 15 1P	Underwater light PowerLED - Single Packaging - 15W	475	1	136
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 30 SP 1P	Underwater light PowerLED - Single Packaging - without through-hull - 30W	500	1	137
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 30 1P	Underwater light PowerLED - Single Packaging - 30W	660	1	137
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 45 SP 1P	Underwater light PowerLED - Single Packaging - without through-hull - 45W	580	1	-
LED UNDERWATER LIGHTS	Underwater light Power LED - Operating voltage 10~30VDC - IP68 Thru-hull INOX AISI 316 - Pre-cabled with 2mt length cable power supply box pre-cabled with 1mt length cable . Cool White	CHALLENGER	CLG 45 1P	Underwater light PowerLED - Single Packaging - 45W	740	1	-



LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-FIX 1 2W 1P	Reading light / Applique - 1 x LED - Single Packaging	140	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-FIX 2 4W 1P	Reading light / Applique - 2 x LED 2W - Single Packaging	183	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-FIX 1 4W 1P	Reading light / Applique - 1 x PowerLED - Single Packaging	169	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SP 1 2W 1P	Reading light / Applique - 1 x LED - orientable - Single Packaging	180	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SP 2 4W 1P	Reading light / Applique - 2 x LED 2W - orientable - Single Packaging	222	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SP 1 4W 1P	Reading light / Applique - 1 x PowerLED - orientable - Single Packaging	206	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-COM 1 2W 1P	Reading light / Applique - 1 x LED - orientable - Single Packaging	180	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-COM 2 4W 1P	Reading light / Applique - 2 x LED 2W - orientable - Single Packaging	222	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-COM 1 4W 1P	Reading light / Applique - 1 x PowerLED - orientable - Single Packaging	206	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SWIVEL 2W 1P	Reading light / Applique - 1 x LED - orientable - Single Packaging	180	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SWIVEL 4W 1P	Reading light / Applique - 1 x PowerLED - orientable - Single Packaging	200	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-SWIVEL 6W 1P	Reading light / Applique - 1 x PowerLED - orientable 6W - Single Packaging	220	1	105
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-TWINS 4W 1P	Reading light / Applique - 2 x LED 2W - Single Packaging	242	1	106
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-TWINS 8W 1P	Reading light / Applique - 2 x PowerLED 4W - Single Packaging	305	1	106
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-TOW 4W 1P	Reading light / Applique - 2 x LED 2W - Single Packaging	262	1	106
LED WALL LIGHTS	Wall lights LED/Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	QB	QB-TOW 8W 1P	Reading light / Applique - 2 x PowerLED 4W - Single Packaging	299	1	106
LED WALL LIGHTS	Wall lights Power LED - Operating voltage 10~30VDC - IP40 Alloy - Chromed finish, Warm white, Daylight	TB	TB-TWINS 8W 1P	Reading light / Applique - 2 x PowerLED 4W - Single Packaging	320	1	107
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-19 1P	Special installation plate for coutresy light - 0 19	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-25 1P	Special installation plate for coutresy light - 0 25	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-25-2 1P	Special installation plate for coutresy light - spring installation -0 25	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-30 1P	Special installation plate for coutresy light - 0 30	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-40 1P	Special installation plate for coutresy light - 0 40	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-55 1P	Special installation plate for coutresy light - 0 55	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-EYELID 1P	Special installation plate for coutresy light EYELID	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-50 1P	Special installation plate for reading light MAYA - JACOB - AUDREY - OLIVIA	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-65 1P	Special installation plate for reading light NICOLE - JOYCE	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-QB 1P	Special installation plate for applique series QB	7	1	184
MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-TAB 1P	Special installation plate for coutresy light TAB	7	1	184

MOUNTING SYSTEM	Wall plate for small built-in spotlights Mounting system	GREENBOX 07	GB07-TILL 1P	Special installation plate for courtesy light TILL	7	1	184
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-44 1P	Back box for downlight 0 44mm	14	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-50 1P	Back box for downlight 0 50mm	14	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-57 1P	Back box for downlight 0 57mm	14	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-63 1P	Back box for downlight 0 63mm	15	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-63H 1P	Back box for downlight 0 63mm - hi temperature	18,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-70 1P	Back box for downlight 0 70mm	15	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-70H 1P	Back box for downlight 0 70mm - hi temperature	18,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-76 1P	Back box for downlight 0 76mm	15	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-76H 1P	Back box for downlight 0 76mm - hi temperature	18,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-83 1P	Back box for downlight 0 83mm	16	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-83H 1P	Back box for downlight 0 83mm - hi temperature	18,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-89 1P	Back box for downlight 0 89mm	16	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-89H 1P	Back box for downlight 0 89mm - hi temperature	23	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-96 1P	Back box for downlight 0 96mm	17	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-96H 1P	Back box for downlight 0 96mm - hi temperature	27,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-105 1P	Back box for downlight 0 105mm	17	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GB04-105H 1P	Back box for downlight 0 105mm - hi temperature	27,5	1	186
MOUNTING SYSTEM	Downlight holder box with spring 0 44 Mounting system	GREENBOX 04	GBT04 1P	Transformer holder for GB 04 series	15	1	186
MOUNTING SYSTEM	Universal light holder box for permanent ceiling or wall Mounting system	GREENBOX 03	GB03 1P	Back box for downlight 0 50-105mm - 83x200x137	18	1	184
MOUNTING SYSTEM	Universal light holder box for permanent ceiling or wall Mounting system	GREENBOX 03	GB03-A 1P	Back box for downlight 0 50-105mm - 113x200x137	18	1	184
MOUNTING SYSTEM	Universal light holder box for permanent ceiling or wall Mounting system	GREENBOX 03	GB03-AT 1P	Back box for downlight 0 50-105mm - 113x360x137	20	1	184
MOUNTING SYSTEM	Universal light holder box for permanent ceiling or wall Mounting system	GREENBOX 03	GBUT1P	Applicator to position the 03 box	37	1	184
MOUNTING SYSTEM	Light holder box for permanent ceiling or wall. Mounting system	GREENBOX 05	GB05-150 1P	Back box for downlights for 0 up to 150mm - 135x190x280	20	1	184
MOUNTING SYSTEM	Light holder box for permanent ceiling or wall. Mounting system	GREENBOX 05	GB05-R 1P	Grid for lights with 0 17-145mm	8	1	184
MOUNTING SYSTEM	Light holder box for permanent ceiling or wall. Mounting system	GREENBOX 05	GB05-Q 1P	Grid for lights with square recess 0 17-145mm	8	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-210 1P	Back box for downlights for 0 up to 210mm	40	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-220 1P	Back box for downlights for 0 up to 220mm	40	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-230 1P	Back box for downlights for 0 up to 230mm	40	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-240 1P	Back box for downlights for 0 up to 240mm	40	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-R 1P	Grid for lights with 0 17-194mm	8	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-Q 1P	Grid for lights with square recess 0 20-140mm	8	1	184
MOUNTING SYSTEM	Back box for downloading for hole diameters up to 210mm Mounting system	GREENBOX 06	GB06-180 1P	Back box downlight for square recess side 180mm	40	1	184
MOUNTING SYSTEM	Transformer holder for back box downlight For back box downlight 05 and 06 series	GREENBOX T	GBTS 1P	Transformer holder for back box downlight - Short	13	1	199
MOUNTING SYSTEM	Transformer holder for back box downlight For back box downlight 05 and 06 series	GREENBOX T	GBTM 1P	Modular transformer holder for back box downlight - Modular	21	1	199
QUICKLIGHTING DESIGN	Led Lampshades - Sliding lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	AB JOUR	ABJOUR B 1P	Bedside table lamp - Single Packaging - 7W	470	1	150
QUICKLIGHTING DESIGN	Led Lampshades - Sliding lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	AB JOUR	ABJOUR T 1P	Table lamp - Single Packaging - 7W	490	1	150

QUICKLIGHTING DESIGN	Led Lampshades - Sliding lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	AB JOUR	ABJOUR FCO 1P	Floor lamp - Conical Lampshade - Single Packaging - 10W	850	1	150
QUICKLIGHTING DESIGN	Led Lampshades - Sliding lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	AB JOUR	ABJOUR FCY 1P	Floor lamp - Cylindrical with punched decoration Lampshade - Single Packaging - 10W	850	1	150
QUICKLIGHTING DESIGN	Led Lampshades - Lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	GISELLE	GISELLE B 1P	Bedside table lamp - Single Packaging - 7W	470	1	158
QUICKLIGHTING DESIGN	Led Lampshades - Lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	GISELLE	GISELLET1P	Table lamp - Single Packaging - 7W	490	1	158
QUICKLIGHTING DESIGN	Led Lampshades - Lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	GISELLE	GISELLE FCO 1P	Floor lamp - Conical Lampshade - Single Packaging - 10W	850	1	159
QUICKLIGHTING DESIGN	Led Lampshades - Lampshade Cloth or cloth with punched decoration Linen or Sand - Base and pole steel chromed or vanished Warm light - 110/220Vac - Other colors available upon request	GISELLE	GISELLE FCY 1P	Floor lamp - Cylindrical with punched decoration Lampshade - Single Packaging - 10W	850	1	159
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE C TESS 1P	Esse ceiling - bracket 1200mm - cloth coating	600	1	166
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE C PELLE 1P	Esse ceiling - bracket 1200mm - leather coating	660	1	166
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE W TESS 1P	Esse wall - bracket 600mm - cloth coating	560	1	166
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE W PELLE 1P	Esse wall - bracket 600mm - leather coating	600	1	166
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE T TESS 1P	Esse table - bracket 600mm - pole 520 - cloth coating	580	1	167
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE T PELLE 1P	Esse table - bracket 600mm - pole 520 - leather coating	620	1	167
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE F TESS 1P	Esse floor - bracket 800mm - pole 1530 - cloth coating	980	1	167
QUICKLIGHTING DESIGN	Head material - Alluminium. Bracket covering - Technical cloth or leather. Operating voltage 110~220VAc Head - Available in different colors. Chromed alluminium	ESSE SERIES	ESSE F PELLE 1P	Esse floor - bracket 800mm - pole 1530 - leather coating	1030	1	167
QUICKLIGHTING DESIGN	Led suspended lamp - operating voltage 10~30Vdc - IP40 Body: Aluminium, Diffuser: Polycarbonate. Warm and daylight	FLOWER DROPS	FLOWER D 3W 1P	Led suspended lamp - Single Packaging - 3W	165	1	170
QUICKLIGHTING DESIGN	Led suspended lamp - operating voltage 10~30Vdc - IP40 Body: Aluminium, Diffuser: Polycarbonate. Warm and daylight	FLOWER DROPS	FLOWER D 8W 1P	Led suspended lamp - Single Packaging - 8W	185	1	170
QUICKLIGHTING DESIGN	Led lamp - modular system - Operating voltage 110~220VAc Made in injection-moulded thermoplastic material. White, black. Other colors available. Warm white	METRO LED	METRO M 1P	METROLED - Transformer - 7W	160	1	176
QUICKLIGHTING DESIGN	Led lamp - modular system - Operating voltage 110~220VAc Made in injection-moulded thermoplastic material. White, black. Other colors available. Warm white	METRO LED	METRO S 1P	METROLED - Repeteable module - 7W	125	1	176
RETRACTABLE BUILT-IN LAMP	Utility LED light - Recess 218mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI316 - Mirror polished SS. Warm white	SECRET LIGHT	SECRET 3W 1P	Utility light LED - Pop-up system - Single Packaging - 3W	380	1	75
RETRACTABLE BUILT-IN LAMP	Utility LED light - Recess 218mm - Operating voltage 10~30Vdc - IP66 - DL88 Round shape SS AISI316 - Mirror polished SS. Warm white	SECRET LIGHT	SECRET 6W 1P	Utility light LED - Pop-up system - Single Packaging - 6W	400	1	75
RETRACTABLE BUILT-IN LAMP	Utility LED light - Recess 235mm - Operating voltage 10~30Vdc - IP66 - DL199 Round shape SS AISI316 - Mirror polished SS. Warm white	SECRET LIGHT L	SECRET L 6W 1P	Utility light LED - Pop-up system - Single Packaging - 6W	775	1	76
TABLE LIGHTS	Table light with lampshade - E14 - 110/220VAC - max 20W - IP20 Articulated bracket 300mm. Finishes: chromed, gold-plated. Lampshade in fabric-PVC. Linen, Ivory, Brown, Bordeaux	ISOTTA	ISOTTA 1P	Table light with lampshade - Diameter 300mm - Single Packaging	210	1	146
TABLE LIGHTS	Table light with lampshade - E14 - 110/220VAC - max 20W - IP20 Articulated bracket 300mm. Finishes: chromed, gold-plated. Lampshade in fabric-PVC. Linen, Ivory, Brown, Bordeaux	DENISE	DENISE 1P	Table light with lampshade - Side length: 240mm - Single Packaging	260	1	146
TABLE LIGHTS	Table light with lampshade and switch - E14 - 110/220VAC - max 20W - IP20 Fix bracket. Finishes: chromed aluminium, opaque anodized aluminium. Lampshade in fabric-PVC. Linen, Ivory, Brown, Bordeaux	SARAH	SARAH 1P	Table light with lampshade - Side length: 150mm - Single Packaging	200	1	146

